



Safety data sheet

according to regulation 1907/2006 (REACH) + 2020/878 (EU)

Printing date 19.12.2023

Version number 1

Revision: 19.12.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

* 1.1 Product identifier

* **Trade name: Chemipro WASH**

* **1.2 Relevant identified uses of the substance or mixture and uses advised against**

* **Technical function** Cleaning agent

* **Application of the substance / the mixture** Cleaning agent/ Cleaner

* 1.3 Details of the supplier of the safety data sheet

* **Manufacturer/Supplier:**

Brouwland
Korspelsesteenweg 86
3581 Bevelo - België

Tel: + 32 11 40 14 08
info@brouwland.com - www.brouwland.com

* 1.4 Emergency telephone number:

24/7 : +31 (0) 167 53 70 11

National Poison Centre

België (Belgique) Centre Antipoisons-Antigifcentrum 070 245 245

Česká Republika (Czech Republic) Toxikologické informační středisko 0 22 49 192 93

Danmark (Denmark) Poison Information Center 0 82 12 12 12

Deutschland (Germany) Clinical Toxicology and Berlin Poison Information Centre 0 30 192 40

España (Spain) Servicio de Información Toxicológica 091 562 04 20

France Centre antipoison et de toxicovigilance de Paris 01 40 05 48 48

Ireland Poisons Information Centre of Ireland 01 809 2166

Italia (Italy) Centro Antiveneni Rome 06 499 70 698

Lietuvia (Lithuania) Environmental Protection Agency 370 70662008

Luxembourg Centre Antipoison 8002 5500

Magyarország (Hungary) Health Toxicological Information Service 080 20 11 99

Nederland Nationaal Vergiften Informatie Centrum 088 755 8000 (Uitsluitend bestemd om professionele hulpverleners te informeren bij acute vergiftigingen)

Norge (Norway) Department for Poisons Information 022 59 13 00

Österreich (Austria) Vergiftungsinformationszentrale 01 406 43 43

Polska (Poland) Centrum Toksykologii 022 619 66 54

Portugal Centro de Informação Antivenenos 800 250 250

România (Romania) Spitalul de Urgenta Floreasca 021 230 8000

Slovenská republika (Slovakia) National Toxicological Information Center 02 54 774 166

Schweiz (Swiss) Toxicological Information Centre 0 44 251 51 51

Sverige (Sweden) Giftinformationscentralen (Swedish Poisons Information Centre) 08 33 12 31

Suomi (Finland) Nødnummer Myrkytystietokeskus 09-471977

United Kingdom National Poison Centre – Poison Information Service 111

SECTION 2: Hazards identification

* 2.1 Classification of the substance or mixture

* **Classification according to Regulation (EC) No 1272/2008**

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

STOT SE 3 H335 May cause respiratory irritation.

(Contd. on page 2)

GB



Safety data sheet

according to regulation 1907/2006 (REACH) + 2020/878 (EU)

Printing date 19.12.2023

Version number 1

Revision: 19.12.2023

Trade name: Chemipro WASH

(Contd. of page 1)

* 2.2 Label elements

* Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

* Hazard pictograms



GHS05 GHS07

* Signal word Danger

* Hazard-determining components of labelling:

SODIUM METASILICATE

SODIUM CARBONATE PEROXIDE

SODIUM SILICATE

CAPRYLETH-9 CARBOXYLIC ACID

* Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

* Precautionary statements

P260 Do not breathe dust.

P280 Wear protective gloves / eye protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P406 Store in a corrosion resistant container / container with a resistant inner liner.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

* 2.3 Other hazards

* Results of PBT and vPvB assessment

* PBT: Not applicable.

* vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

* 3.2 Mixtures

* Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 3)

-GB-



Safety data sheet

according to regulation 1907/2006 (REACH) + 2020/878 (EU)

Printing date 19.12.2023

Version number 1

Revision: 19.12.2023

Trade name: Chemipro WASH

(Contd. of page 2)

*** Dangerous components:**

CAS: 15630-89-4 EINECS: 239-707-6 Reg.nr.: 01-2119457268-30	SODIUM CARBONATE PEROXIDE ⚠ Ox. Liq. 2, H272; ⚠ Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302; ⚠ Skin Irrit. 2, H315; STOT SE 3, H335 Specific concentration limits: Eye Dam. 1; H318: C ≥ 25 % Eye Irrit. 2; H319: 7.5 % ≤ C < 25 %	15-30%
CAS: 10213-79-3 EINECS: 229-912-9 Index number: 014-010-00-8 Reg.nr.: 01-2119449811-37	SODIUM METASILICATE ⚠ Met. Corr.1, H290; ⚠ Skin Corr. 1B, H314; ⚠ STOT SE 3, H335 Specific concentration limit: Met. Corr.1; H290: C ≥ 3 %	15-30%
CAS: 497-19-8 EINECS: 207-838-8 Index number: 011-005-00-2 Reg.nr.: 01-2119485498-19	SODIUM CARBONATE ⚠ Eye Irrit. 2, H319	30%
CAS: 7320-34-5 EINECS: 230-785-7 Reg.nr.: 01-2119489369-18	TETRAPOTASSIUM PYROPHOSPHATE ⚠ Eye Irrit. 2, H319	5-15%
CAS: 1344-09-8 EINECS: 215-687-4 Reg.nr.: 01-2119448725-31	SODIUM SILICATE ⚠ Eye Dam. 1, H318; ⚠ Skin Irrit. 2, H315	5%
CAS: 53563-70-5 Reg.nr.: Exempted [4]	CAPRYLETH-9 CARBOXYLIC ACID ⚠ Eye Dam. 1, H318	1-5%

*** Additional information:**

For the wording of the listed risk phrases refer to section 16. Product compositional ranges are shown for health, safety and environmental use and are not intended to form any part of a specification.

[1] Exempted: ionic mixture. See Regulation (EC) No 1907/2006, Annex V, paragraph 3 and 4. This salt is potentially present, based on calculation, and included for classification and labelling purposes only. Each starting material of the ionic mixture is registered, as required.

[2] Exempted: included in Annex IV of Regulation (EC) No 1907/2006.

[3] Exempted: Annex V of Regulation (EC) No 1907/2006.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

SECTION 4: First aid measures*** 4.1 Description of first aid measures**

*** General information:** Immediately remove any clothing soiled by the product.

*** After inhalation:** Supply fresh air; consult doctor in case of complaints.

*** After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

*** After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

*** After swallowing:**

Do not induce vomiting; call for medical help immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

*** 4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

(Contd. on page 4)



Safety data sheet

according to regulation 1907/2006 (REACH) + 2020/878 (EU)

Printing date 19.12.2023

Version number 1

Revision: 19.12.2023

Trade name: Chemipro WASH

(Contd. of page 3)

- * **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- * **5.1 Extinguishing media**
* **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Use fire extinguishing methods suitable to surrounding conditions.
- * **5.2 Special hazards arising from the substance or mixture**
During heating or in case of fire poisonous gases are produced.
- * **5.3 Advice for firefighters**
* **Protective equipment:** Mouth respiratory protective device.

SECTION 6: Accidental release measures

- * **6.1 Personal precautions, protective equipment and emergency procedures**
Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
- * **6.2 Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
- * **6.3 Methods and material for containment and cleaning up:**
Use neutralising agent.
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
- * **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- * **7.1 Precautions for safe handling**
Thorough dedusting.
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of dust.
When diluting always pour product into water and not vice versa.
- * **Information about fire - and explosion protection:** Keep respiratory protective device available.
- * **7.2 Conditions for safe storage, including any incompatibilities**
* **Storage:**
* **Requirements to be met by storerooms and receptacles:** No special requirements.
* **Information about storage in one common storage facility:** Do not store together with acids.
* **Further information about storage conditions:**
Protect from frost.
Keep container tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
- * **Storage class:** 8 A

(Contd. on page 5)



Safety data sheet

according to regulation 1907/2006 (REACH) + 2020/878 (EU)

Printing date 19.12.2023

Version number 1

Revision: 19.12.2023

Trade name: Chemipro WASH

(Contd. of page 4)

* 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

* 8.1 Control parameters

* Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

* DNELs

15630-89-4 SODIUM CARBONATE PEROXIDE

Dermal	Long-term exposure - local effects	6.4 mg/kg bw/day (Consumer) 12.8 mg/kg bw/day (Worker)
Inhalative	Long-term exposure - local effects	5 mg/m ³ (Worker)
Irritation of skin	Acute/short term exposure - local effects	6.4 mg/cm ² (Consumer) 12.8 mg/cm ² (Worker)

10213-79-3 SODIUM METASILICATE

Oral	Long-term exposure - systemic effects	0.74 mg/kg bw/day (Consumer)
Dermal	Long-term exposure - systemic effects	0.74 mg/kg bw/day (Consumer) 1.49 mg/kg bw/day (Worker)
Inhalative	Long-term exposure - systemic effects	1.55 mg/m ³ (Consumer) 6.22 mg/m ³ (Worker)

* PNECs

15630-89-4 SODIUM CARBONATE PEROXIDE

Freshwater	35 µg/l
Marinewater	35 µg/l
Intermittent releases	35 µg/l
Sewage treatment plant	16.24 mg/l

10213-79-3 SODIUM METASILICATE

Freshwater	7.5 mg/l
Marinewater	1 mg/l
Intermittent releases	7.5 mg/l
Sewage treatment plant	1,000 mg/l

* **Additional information:** The lists valid during the making were used as basis.

* 8.2 Exposure controls

* **Appropriate engineering controls** No further data; see section 7.* **Individual protection measures, such as personal protective equipment*** **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes.
Avoid contact with the eyes and skin.

(Contd. on page 6)

GB



Safety data sheet

according to regulation 1907/2006 (REACH) + 2020/878 (EU)

Printing date 19.12.2023

Version number 1

Revision: 19.12.2023

Trade name: Chemipro WASH

(Contd. of page 5)

*** Respiratory protection:**

Breathing protection if dusts are formed. (EN143 or 149)

*** Recommended filter device for short term use: Filter P2***** Hand protection**

Preventive skin protection by use of gloves is recommended.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

*** Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Suitability (penetration time, material thickness) for a specific workplace should be discussed with the manufacturer of the protective gloves.

*** Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

*** For the permanent contact gloves made of the following materials are suitable:**

Butyl rubber: Penetration time >480 min - Recommended thickness: 0,4 mm

Nitrile rubber: Penetration time >480 min - Recommended thickness: 0,35 mm

PVC: Penetration time >480 min - Recommended thickness: 0,5 mm

*** For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**

Nitrile rubber. Penetration time 30 min - Recommended thickness: 0,13 mm

*** As protection from splashes gloves made of the following materials are suitable:**

PVC (EN374)

Nitrile rubber: 0.11 mm (EN374)

*** Eye/face protection**

Tightly sealed goggles

SECTION 9: Physical and chemical properties*** 9.1 Information on basic physical and chemical properties***** General Information***** Physical state**

Solid

*** Colour:**

White

*** Odour:**

Weak, characteristic

(Contd. on page 7)



Safety data sheet

according to regulation 1907/2006 (REACH) + 2020/878 (EU)

Printing date 19.12.2023

Version number 1

Revision: 19.12.2023

Trade name: Chemipro WASH

(Contd. of page 6)

* Odour threshold:	Not determined.
* Melting point/freezing point:	Undetermined.
* Boiling point or initial boiling point and boiling range	100 °C (7732-18-5 water, distilled, conductivity or of similar purity)
* Flammability	Not determined.
* Lower and upper explosion limit	
* Lower:	Not determined.
* Upper:	Not determined.
* Flash point (CCMP):	Not applicable.
* Decomposition temperature:	Not determined.
* pH at 20 °C	>13
* Viscosity:	
* Kinematic viscosity	Not applicable.
* Dynamic:	Not applicable.
* Solubility	
* water:	Soluble.
* Partition coefficient n-octanol/water (log value)	Not determined.
* Vapour pressure at 20 °C:	23 hPa (7732-18-5 water, distilled, conductivity or of similar purity)
* Density and/or relative density	
* Density at 20 °C:	1.1 g/cm ³
* Relative density	Not determined.
* Vapour density	Not applicable.

* 9.2 Other information	Product compositional ranges are shown for health, safety and environmental use and are not intended to form any part of a specification.
* Appearance:	
* Form:	Powder
* Important information on protection of health and environment, and on safety.	
* Ignition temperature:	Product is not selfigniting.
* Explosive properties:	Product does not present an explosion hazard.
* Change in condition	
* Evaporation rate	Not applicable.

* Information with regard to physical hazard classes	
* Explosives	Void
* Flammable gases	Void
* Aerosols	Void
* Oxidising gases	Void
* Gases under pressure	Void
* Flammable liquids	Void
* Flammable solids	Void
* Self-reactive substances and mixtures	Void
* Pyrophoric liquids	Void
* Pyrophoric solids	Void
* Self-heating substances and mixtures	Void

(Contd. on page 8)

GB



Safety data sheet

according to regulation 1907/2006 (REACH) + 2020/878 (EU)

Printing date 19.12.2023

Version number 1

Revision: 19.12.2023

Trade name: Chemipro WASH

(Contd. of page 7)

- | | |
|--|-----------------------------|
| * Substances and mixtures, which emit flammable gases in contact with water | Void |
| * Oxidising liquids | Void |
| * Oxidising solids | Void |
| * Organic peroxides | Void |
| * Corrosive to metals | May be corrosive to metals. |
| * Desensitised explosives | Void |

SECTION 10: Stability and reactivity

- * **10.1 Reactivity** No further relevant information available.
- * **10.2 Chemical stability**
- * **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- * **10.3 Possibility of hazardous reactions**
 Reacts with various metals.
 Corrosive action on metals.
 Reacts with strong acids.
 Reacts with oxidising agents.
- * **10.4 Conditions to avoid** No further relevant information available.
- * **10.5 Incompatible materials:** Don't mix with acids.
- * **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- * **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- * **Acute toxicity** Based on available data, the classification criteria are not met.

* **LD/LC50 values relevant for classification:****15630-89-4 SODIUM CARBONATE PEROXIDE**

Oral	LD50	1,034 mg/kg bw (Rat)
------	------	----------------------

10213-79-3 SODIUM METASILICATE

Oral	LD50	1,152-1,349 mg/kg bw (Rat)
------	------	----------------------------

Dermal	LD50	>5,000 mg/kg bw (Rat)
--------	------	-----------------------

- * **Skin corrosion/irritation** Causes severe skin burns and eye damage.
- * **Serious eye damage/irritation** Causes serious eye damage.
- * **STOT-single exposure** May cause respiratory irritation.
- * **11.2 Information on other hazards**

* **Endocrine disrupting properties**

None of the ingredients is listed.

GB

(Contd. on page 9)



Safety data sheet

according to regulation 1907/2006 (REACH) + 2020/878 (EU)

Printing date 19.12.2023

Version number 1

Revision: 19.12.2023

Trade name: Chemipro WASH

(Contd. of page 8)

SECTION 12: Ecological information

* 12.1 Toxicity

* Aquatic toxicity:

10213-79-3 SODIUM METASILICATE

LC50/96h 210 mg/l (Brachydanio rerio)

EC50/72h 207 mg/l (Algae)

EC0/24h >500 mg/l (Daphnia Magna)

* **12.2 Persistence and degradability** No further relevant information available.

* **12.3 Bioaccumulative potential** No further relevant information available.

* **12.4 Mobility in soil** No further relevant information available.

* 12.5 Results of PBT and vPvB assessment

* **PBT:** Not applicable.

* **vPvB:** Not applicable.

* 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

* 12.7 Other adverse effects

* Additional ecological information:

* General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 13: Disposal considerations

* 13.1 Waste treatment methods

* Recommendation



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

* Uncleaned packaging:

* **Recommendation:** Disposal must be made according to official regulations.

* **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

* 14.1 UN number or ID number

* **ADR/RID/ADN, IMDG, IATA**

UN1759

(Contd. on page 10)



Safety data sheet

according to regulation 1907/2006 (REACH) + 2020/878 (EU)

Printing date 19.12.2023

Version number 1

Revision: 19.12.2023

Trade name: Chemipro WASH

(Contd. of page 9)

* 14.2 UN proper shipping name

* ADR/RID/ADN

1759 CORROSIVE SOLID, N.O.S. (DISODIUM TRIOXOSILICATE)

* IMDG, IATA

CORROSIVE SOLID, N.O.S. (DISODIUM TRIOXOSILICATE)

* 14.3 Transport hazard class(es)

* ADR/RID/ADN, IMDG, IATA



* Class

8 Corrosive substances.

* Label

8

* ADN/R Class:

8 Corrosive substances.

* 14.4 Packing group

* ADR/RID/ADN, IMDG, IATA

III

* 14.5 Environmental hazards:

Not applicable.

* 14.6 Special precautions for user

Warning: Corrosive substances.

* Hazard identification number (Kemler code):

80

* EMS Number:

F-A,S-B

* Stowage Category

B

* 14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

* Transport/Additional information:

* ADR/RID/ADN

* Limited quantities (LQ)

5 kg

* Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 g

Maximum net quantity per outer packaging: 1000 g

* Transport category

3

* Tunnel restriction code

E

* IMDG

* Limited quantities (LQ)

5 kg

* Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 g

Maximum net quantity per outer packaging: 1000 g

* UN "Model Regulation":

UN 1759 CORROSIVE SOLID, N.O.S. (DISODIUM TRIOXOSILICATE), 8, III

GB

(Contd. on page 11)



Safety data sheet

according to regulation 1907/2006 (REACH) + 2020/878 (EU)

Printing date 19.12.2023

Version number 1

Revision: 19.12.2023

Trade name: Chemipro WASH

(Contd. of page 10)

SECTION 15: Regulatory information

* 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

* Directive 2012/18/EU

* **Named dangerous substances - ANNEX I** None of the ingredients is listed.

* Regulation (EC) No 648/2004 on detergents / Labelling for contents

oxygen-based bleaching agents	≥15 - <30%
phosphates	≥5 - <15%
polycarboxylates, anionic surfactants	<5%

* **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheet is exclusively meant for industrial/professional use.

* Relevant phrases

H272 May intensify fire; oxidiser.
 H290 May be corrosive to metals.
 H302 Harmful if swallowed.
 H314 Causes severe skin burns and eye damage.
 H315 Causes skin irritation.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.

* **Department issuing SDS:** Product safety department.

* Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 DNEL: Derived No-Effect Level (UK REACH)
 PNEC: Predicted No-Effect Concentration (UK REACH)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 Ox. Liq. 2: Oxidizing liquids – Category 2
 Met. Corr. 1: Corrosive to metals – Category 1
 Acute Tox. 4: Acute toxicity – Category 4
 Skin Corr. 1B: Skin corrosion/irritation – Category 1B
 Skin Irrit. 2: Skin corrosion/irritation – Category 2
 Eye Dam. 1: Serious eye damage/eye irritation – Category 1
 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

* Sources

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No.1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet.

(Contd. on page 12)



Safety data sheet

according to regulation 1907/2006 (REACH) + 2020/878 (EU)

Printing date 19.12.2023

Version number 1

Revision: 19.12.2023

Trade name: Chemipro WASH**** Data compared to the previous version altered.**

(Contd. of page 11)